

門診二十大疾病統計表

TABLE 5 LIST OF THE TWENTY MOST COMMON DISEASES - OPD

排序	疾病名稱	疾病代碼	平均年齡	男%	女%	總人次	佔二十大百分比	佔全部百分比	累積百分比	總人數
1	CHRONIC LIVER DISEASE AND CIRRHOSIS 慢性肝病及肝硬化	571	55.5	59.3%	40.7%	10,340	18.8%	9.7%	9.7%	2,598
2	OTHER DISORDERS OF SOFT TISSUES 軟組織之其他疾患	729	53.3	50.7%	49.3%	6,535	11.9%	6.1%	15.8%	2,773
3	DIABETES MELLITUS 糖尿病	250	62.5	57.5%	42.5%	6,361	11.6%	6.0%	21.8%	1,254
4	ESSENTIAL HYPERTENSION 本態性高血壓	401	63.0	56.2%	43.8%	5,025	9.1%	4.7%	26.5%	1,287
5	ALLERGIC RHINITIS 過敏性鼻炎	477	51.3	53.6%	46.4%	2,802	5.1%	2.6%	29.1%	1,078
6	OTHER AND UNSPECIFIED DISORDERS OF BACK 其他背部疾患	724	58.2	44.2%	55.8%	2,207	4.0%	2.1%	31.2%	911
7	DISEASES OF ESOPHAGUS 食道疾病	530	54.5	49.7%	50.3%	2,038	3.7%	1.9%	33.1%	701
8	DISORDERS OF LIPOID METABOLISM 類脂質代謝疾患	272	55.7	52.6%	47.4%	1,947	3.5%	1.8%	34.9%	753
9	NEUROTIC DISORDERS 精神官能症	300	55.1	38.5%	61.5%	1,933	3.5%	1.8%	36.7%	595
10	OSTEOARTHRITIS AND ALLIED DISORDERS 骨關節病及有關疾患	715	67.2	69.4%	30.6%	1,857	3.4%	1.7%	38.5%	555
11	GENERAL SYMPTOMS 一般徵候	780	54.4	49.3%	50.7%	1,836	3.3%	1.7%	40.2%	689
12	CHRONIC RENAL FAILURE 慢性腎衰竭	585	64.1	48.4%	51.6%	1,790	3.3%	1.7%	41.9%	151
13	DISORDERS OF MUSCLE, LIGAMENT AND FASCIA 肌肉、韌帶及筋脈疾患	728	57.2	43.1%	56.9%	1,623	3.0%	1.5%	43.4%	493
14	PEPTIC ULCER, SITE UNSPECIFIED 消化性潰瘍	533	54.5	53.3%	46.7%	1,605	2.9%	1.5%	44.9%	613
15	SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS 涉及呼吸系統及其他胸部之徵候	786	50.9	57.2%	42.8%	1,297	2.4%	1.2%	46.1%	728
16	CATARACT 白內障	366	68.5	50.5%	49.5%	1,251	2.3%	1.2%	47.3%	479
17	NERVE ROOT AND PLEXUS DISORDERS 神經根及神經叢疾患	353	59.3	33.3%	66.7%	1,239	2.3%	1.2%	48.4%	262
18	DISEASES OF HARD TISSUES OF TEETH 牙齒硬組織疾病	521	39.4	62.0%	38.0%	1,191	2.2%	1.1%	49.5%	523
19	OTHER AND UNSPECIFIED DISORDERS OF JOINT 其他關節疾患	719	51.4	48.6%	51.4%	1,063	1.9%	1.0%	50.5%	341
20	CONTACT DERMATITIS AND OTHER ECZEMA 接觸性皮炎及其他濕疹	692	43.1	52.8%	47.2%	1,048	1.9%	1.0%	51.5%	534
	前二十大疾病	-	56.8	53.5%	46.5%	54,988	100.0%	51.5%	-	17,318
	其他疾病	-	52.7	53.1%	46.9%	51,732	-	48.5%	-	21,019
	全部疾病	-	54.9	53.3%	46.7%	106,720	-	100.0%	-	38,337

註：以主診斷為統計依據，前二十大疾病、其他疾病及年度全部疾病均排除V code、E code、M code。

2015年

急診二十大疾病統計表

TABLE 6 LIST OF THE TWENTY MOST COMMON DISEASES - ER

排序	疾病名稱	疾病代碼	平均年齡	男%	女%	總人次	佔二十大百分比%	佔全部百分比%	累積百分比%	總人數
1	GENERAL SYMPTOMS 一般徵候	780	45.1	55.0%	45.0%	873	12.9%	7.2%	7.2%	794
2	GASTRITIS AND DUODENITIS 胃炎及十二指腸炎	535	35.6	56.9%	43.1%	626	9.2%	5.2%	12.4%	579
3	OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS 腹及腰部及骨盆之徵候	789	41.1	56.8%	43.2%	558	8.2%	4.6%	17.0%	491
4	OTHER NONINFECTIOUS GASTROENTERITIS AND COLITIS 非傳染性之其他胃腸炎及大腸炎	558	33.9	60.6%	39.4%	454	6.7%	3.8%	20.8%	435
5	CONTUSION OF LOWER LIMB AND OF OTHER AND UNSPECIFIED SITES 下肢挫傷	924	38.4	60.6%	39.4%	388	5.7%	3.2%	24.0%	378
6	SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS 侵及呼吸系統及其他胸部之徵候	786	44.8	57.8%	42.2%	367	5.4%	3.0%	27.0%	334
7	ACUTE UPPER RESPIRATORY INFECTIONS OF MULTIPLE OR UNSPECIFIED SITE 急性上呼吸道感染, 多處或未明示部位	465	27.1	60.2%	39.8%	349	5.1%	2.9%	29.9%	342
8	CONTUSION OF TRUNK 軀幹挫傷	922	43.9	65.3%	34.7%	340	5.0%	2.8%	32.8%	331
9	DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE 上肢挫傷	923	38.0	72.6%	27.4%	318	4.7%	2.6%	35.4%	313
10	OTHER OPEN WOUND OF HEAD 頭部其他開放性傷口	873	34.7	80.1%	19.9%	316	4.7%	2.6%	38.0%	309
11	OPEN WOUND OF FINGER(S) 手指開放性傷口	883	39.8	82.2%	17.8%	264	3.9%	2.2%	40.2%	262
12	OTHER DISORDERS OF URETHRA AND URINARY TRACT 其他尿道及泌尿道疾患	599	57.3	29.3%	70.7%	263	3.9%	2.2%	42.4%	230
13	URTICARIA 蕁麻疹	708	32.1	62.2%	37.8%	251	3.7%	2.1%	44.4%	229
14	SYMPTOMS INVOLVING HEAD AND NECK 侵及頭及頸部之徵候	784	37.3	52.4%	47.6%	225	3.3%	1.9%	46.3%	191
15	OTHER CELLULITIS AND ABSCESS 其他蜂窝組織炎及膿瘍	682	48.9	64.4%	35.6%	219	3.2%	1.8%	48.1%	197
16	CALCULUS OF KIDNEY AND URETER 腎及輸尿管結石	592	43.4	85.0%	15.0%	206	3.0%	1.7%	49.8%	184
17	VERTIGINOUS SYNDROMES AND OTHER DISORDERS OF VESTIBULAR SYSTEM 眩暈徵候群及其他前庭系統之疾患	386	54.7	42.1%	57.9%	202	3.0%	1.7%	51.5%	184
18	PNEUMONIA, ORGANISM UNSPECIFIED 肺炎	486	65.1	60.9%	39.1%	197	2.9%	1.6%	53.1%	176
19	CONTUSION OF FACE, SCALP, AND NECK EXCEPT EYE(S) 臉、頭皮及頸之挫傷, 眼除外	920	38.4	65.8%	34.2%	193	2.8%	1.6%	54.7%	191
20	ACUTE BRONCHITIS AND BRONCHIOLITIS 急性支氣管炎及細支氣管炎	466	30.3	53.4%	46.6%	178	2.6%	1.5%	56.2%	170
前二十大疾病										
其他疾病										
全部疾病										

註: 以主診斷為統計依據, 前二十大疾病、其他疾病及年度全部疾病均排除 V code、E code、H code。

住診二十大疾病統計表

TABLE 15-1 LIST OF THE TWENTY MOST COMMON DISEASES

CAUSE GROUPS	國際疾病分類代碼	性別	人次小計	年齡族群							人數小計	疾病佔率	平均住院天數
				一歲以下	二歲至四歲	五歲至十四歲	十五歲至二十四歲	至四十四歲	至六十四歲	六十五歲以上			
1. PNEUMONIA, ORGANISM UNSPECIFIED 肺炎	486	T	166	1	4	2	11	30	117	150	52.32	7.55	
		M	88	1	1	0	8	16	61	77	27.73	6.41	
		F	78	0	3	2	3	14	56	73	24.58	8.85	
2. OTHER DISORDERS OF URETHRA AND URINARY TRACT 其他尿道及泌尿道疾患	599	T	143	4	4	3	12	32	88	132	45.07	6.96	
		M	45	0	0	0	3	9	30	38	14.18	8.13	
		F	98	0	4	3	9	23	58	94	30.89	6.42	
3. GENERAL SYMPTOMS 一般徵候	780	T	137	1	2	2	15	36	78	130	43.18	4.87	
		M	77	1	0	1	12	25	35	73	24.27	4.14	
		F	60	0	2	1	3	11	43	57	18.91	5.80	
4. OTHER CELLULITIS AND ABSCESS 其他蜂窩組織炎及膿瘍	682	T	119	0	1	7	30	41	40	109	37.5	6.45	
		M	71	0	1	5	18	28	19	66	22.38	6.35	
		F	48	0	0	2	12	13	21	43	15.13	6.58	
5. OTHER NONINFECTIOUS GASTROENTERITIS AND COLITIS 非傳染性之其他胃腸炎及大腸炎	558	T	97	15	20	5	14	15	23	95	30.57	2.93	
		M	53	8	14	2	8	9	10	52	16.7	2.81	
		F	44	7	6	3	6	6	13	43	13.87	3.07	
6. SEPTICEMIA 敗血症	038	T	86	0	1	1	9	25	50	84	27.1	7.91	
		M	53	0	1	1	8	15	28	52	16.7	7.26	
		F	33	0	0	0	1	10	22	32	10.4	8.94	
7. CHRONIC BRONCHITIS 慢性支氣管炎	491	T	79	0	0	0	2	15	62	52	24.9	9.20	
		M	69	0	0	0	2	14	53	44	21.75	9.09	
		F	10	0	0	0	0	1	9	8	3.15	10.00	
8. CHRONIC LIVER DISEASE AND CIRRHOSIS 慢性肝病及肝硬化	571	T	74	0	0	0	14	40	20	42	23.32	9.28	
		M	56	0	0	0	13	33	10	31	17.65	8.11	
		F	18	0	0	0	1	7	10	11	5.67	12.94	
9 (1) DISEASES OF PANCREAS 胰臟疾病	577	T	71	0	0	0	36	31	4	50	22.38	5.27	
		M	66	0	0	0	35	29	2	45	20.8	5.36	
		F	5	0	0	0	1	2	2	5	1.58	4.00	
(2) SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS 侵及呼吸系統及其他胸部之徵候	786	T	71	0	0	0	11	23	37	61	22.38	6.82	
		M	39	0	0	0	8	15	16	32	12.29	6.44	
		F	32	0	0	0	3	8	21	29	10.09	7.28	

住診二十大疾病統計表

TABLE 15-1 LIST OF THE TWENTY MOST COMMON DISEASES

CAUSE GROUPS	國際疾病分類代碼	性別	人次小計	年齡族群							六十五歲以上	人數小計	疾病佔率	平均住院天數
				一歲以下	二歲至四歲	五歲至十四歲	十五歲至二十四歲	至四十四歲	至六十四歲	至六十五歲				
				0	0	1	0	3	15	42				
10. DIABETES MELLITUS 糖尿病	250	T M F	61 41 20	0 0 0	0 0 1	0 0 0	0 0 0	3 3 0	0 14 1	0 24 18	49	19.22 12.92 6.3	5.89 7.05 3.5	
11. BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED 支氣管性肺炎	485	T M F	58 28 30	12 7 5	13 4 9	1 0 1	1 0 1	3 1 2	17 12 5	11 4 7	57	18.28 8.82 9.45	2.93 3 2.87	
12. SUBARACHNOID, SUBDURAL AND EXTRADURAL HAEMORRHAGE, FOLLOWING INJURY 損傷後之蜘蛛網膜下、硬腦膜下及硬腦膜外出血	852	T M F	54 35 19	0 0 0	0 0 0	0 0 0	2 2 0	11 7 4	18 12 6	23 14 9	54	17.02 11.03 5.99	6.28 5.94 6.89	
13. OCCLUSION OF CEREBRAL ARTERIES 腦動脈阻塞	434	T M F	51 29 22	0 0 0	0 0 0	0 0 0	0 0 0	1 1 0	10 8 2	40 20 20	49	16.07 9.14 6.93	9.73 10.1 9.23	
14. OTHER SYMPTOMS INVOLVING ABDOMEN AND PELVIS 脛及腹部及骨盆之徵候	789	T M F	49 30 19	0 0 0	0 0 0	0 0 0	1 1 0	11 6 5	22 18 4	15 5 10	46	15.44 9.45 5.99	4.9 4.6 5.37	
15. FRACTURE OF RADIUS AND ULNA 橈骨及尺骨之骨折	813	T M F	44 25 19	1 0 1	7 6 1	2 2 0	2 2 0	11 8 3	12 8 4	11 1 10	44	13.87 7.88 5.99	4.32 4.32 4.32	
16. GASTROINTESTINAL HEMORRHAGE 胃腸出血	578	T M F	41 30 11	0 0 0	0 0 0	0 0 0	0 0 0	5 5 0	17 15 2	19 10 9	37	12.92 9.45 3.47	3.29 3.17 3.64	
17. MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCTS 肝及肝內膽管急性腫瘤	155	T M F	40 29 11	0 0 0	0 0 0	0 0 0	0 0 0	4 3 1	18 16 2	18 10 8	32	12.61 9.14 3.47	6.98 6.72 7.64	
18. GASTRIC ULCER 胃潰瘍	531	T M F	39 26 13	0 0 0	0 0 0	0 0 0	0 0 0	6 4 2	12 9 3	21 13 8	38	12.29 8.19 4.1	3.9 4.35 3	
19. OTHER AND UNSPECIFIED ANEMIAS 其他貧血	285	T M F	34 19 15	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	23 15 8	11 4 7	23	10.72 5.99 4.73	3.03 2.16 4.13	
(2) ANGINA PECTORIS 心絞痛	413	T M F	34 19 15	0 0 0	0 0 0	0 0 0	0 0 0	3 3 0	14 9 5	17 7 10	33	10.72 5.99 4.73	3.91 3.58 4.33	

住診二十大疾病統計表

TABLE 15-1 LIST OF THE TWENTY MOST COMMON DISEASES

CAUSE GROUPS	國際疾病分類代碼	性別	人次小計	年齡族群							人數小計	疾病佔率	平均住院天數
				一歲以下	二歲至四歲	五歲至十四歲	十五歲至二十四歲	至四十四歲	至六十四歲	六十五歲以上			
20. INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA 腸阻塞，未提及疝氣	560	T	30	0	0	0	0	4	10	16	30	9.45	4.93
		M	18	0	0	0	3	7	8	18	5.67	3.94	
		F	12	0	0	0	1	3	8	12	3.78	6.42	
21. TEN MOST COMMON DISEASES 十大疾病		T	1578	12	32	53	26	216	476	763	1397		
		M	946	7	19	14	159	336	384	803			
		F	622	5	13	12	57	139	370	586			
ALL OTHER DISEASES 其他		T	1532	25	33	47	53	327	459	588	1456		
		M	977	13	20	42	224	341	930	310	526		
		F	555	12	13	11	103	118	278	526			
*ENCOUNTER FOR OTHER AND UNSPECIFIED PROCEDURES AND AFTERCARE 接受其他及未明示之治療和療養	V58	T	22	0	0	0	0	0	16	6	9	6.93	3.41
		M	20	0	0	0	0	16	4	7	2	6.3	3.65
		F	2	0	0	0	0	0	0	2	0	0.63	1.00
*CARE INVOLVING USE OF REHABILITATION PROCEDURES 復健療程之照料	V55	T	1	0	0	0	0	0	0	1	1	0.32	1.00
		M	1	0	0	0	0	0	0	1	1	0.32	1.00
		F	0	0	0	0	0	0	0	0	0	0	0.00
*OTHER ORTHOPAEDIC AFTER CARE 其他矯形術後之療養	V54	T	40	0	1	3	3	13	12	8	40	12.61	2.60
		M	20	0	1	1	11	2	20	6.3	20	6.3	2.55
		F	20	0	0	2	2	10	6	20	6.3	20	6.3
TOTAL 總計			3110	37	65	100	79	543	935	1351	2853		
年齡百分比		GT	1923	20	39	54	56	383	677	694	1733		
		MT	1177	17	26	46	23	160	257	648	1112		
		FT											
T	100.00%	1.19%	2.09%	3.22%	2.54%	17.46%	30.06%	43.44%					
M	100.00%	1.04%	2.03%	2.81%	2.91%	19.92%	35.21%	36.09%					
F	100.00%	1.44%	2.21%	3.91%	1.95%	13.59%	21.84%	55.06%					

住診二十大疾病統計表

TABLE 15-1 LIST OF THE TWENTY MOST COMMON DISEASES

CAUSE GROUPS	國際疾病分類代碼	性別	人次小計	年齡族群					人數小計	疾病佔率	平均住院天數
				一歲以下	二歲至四歲	五歲至十四歲	十五歲至二十四歲	四十四歲至六十四歲			

表15-1、二十大疾病統計表

說明: 1. 本表顯示雲林院區住院病患二十大疾病。

2. 計算方法:

(1) 本表取主要診斷為計算基礎。

(2) 本表係依ICD-9-CM三位整數分類代碼, 將同類之主要診斷集中計算。

(3) 某病(全)(男)(女)疾病佔率(1/1000)

= 該病(全)(男)(女)病患人數/年度(全)(男)(女)出院病患總人數 × 1000
(病患人數及出院人數係以病患歸戶後計算)

(4) 某年齡層(全)(男)(女)疾病年齡分布比率(1/100)

= 該年齡層(全)(男)(女)病患人次/年度(全)(男)(女)出院病患總人次 × 100

3. 「二十大疾病」之病患佔院區出院人次之50.7%(排除V code)。

Table 15-1 : List of the Twenty Most Common Diseases

Notes: 1. This table includes all cases of which the principal diagnosis falls into the most common disease in Yunlin.

2. Calculation :

(1) Cause groups were classified according to the principal diagnosis.

(2) This table is classified according to the Code No. of ICD-9-CM, three-digit.

(3) Morbidity of certain disease (by sex) (Rate: 1/1000)
= No. of patients of certain disease (by sex) /
Total No. of patients discharge (by sex) × 1000

(4) Proportional morbidity of certain age group (by sex) (Rate: 1/100)
= No. of patients of certain age group (by sex) /
Total No. of patients discharged (by sex) × 100

3. 50.7% of the total discharged are of the ten most common diseases.